



## SAFETY DATA SHEET

### Car Shampoo

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

#### SECTION 1: Identification: Product identifier and chemical identity

##### Product identifier

**Product name** Car Shampoo

##### Relevant identified uses of the substance or mixture and uses advised against

**Application** Car maintenance product. Auto shampoo.

**Uses advised against** For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

##### Details of the supplier of the safety data sheet

**Supplier** AutoYou Pty Ltd  
 450 Graham St  
 Port Melbourne  
 VIC 3207  
 Australia  
[www.autoyou.com.au](http://www.autoyou.com.au)  
 Tel: 1300 826 801 (Mon to Fri, 09:00 - 17:00 AEST) (General Information. Transport Information. Mild Medical Information)  
[enquiries@autoyou.com.au](mailto:enquiries@autoyou.com.au)

**Contact Person** Mr. Tao Lim

**Emergency telephone number** General Information. Transport Information. Mild medical Information:-  
 Tel: 1300 826 801 (Mon to Fri, 09:00 - 17:00 AEST)

**National emergency telephone number** Poison Information Hotline: 13 11 26

#### SECTION 2: Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Not Classified

**Environmental hazards** Not Classified

##### Label elements

**Hazard statements** NC Not Classified

## Car Shampoo

**Precautionary statements** P280 Wear protective gloves.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Supplemental label information** For professional users only.

### Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

## SECTION 3: Composition and information on ingredients

### Mixtures

<b>2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol</b>	<b>0.2&lt;0.5%</b>
CAS number: 4719-04-4	

#### **Classification**

Acute Tox. 4 - H302

Acute Tox. 2 - H330

Skin Sens. 1 - H317

STOT RE 1 - H372

### **sodium hydroxide**

**0.1<0.2%**

CAS number: 1310-73-2

Substance with a Community workplace exposure limit.

#### **Classification**

Met. Corr. 1 - H290

Skin Corr. 1A - H314

Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### Description of first aid measures

**General information** Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

**Ingestion** Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

**Skin Contact** Remove affected person from source of contamination. Rinse immediately with plenty of water. It is important to remove the substance from the skin immediately.

**Eye contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.

## Car Shampoo

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

### Most important symptoms and effects, both acute and delayed

**General information** See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** Prolonged inhalation of high concentrations may damage respiratory system.

**Ingestion** May cause sensitisation or allergic reactions in sensitive individuals. Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.

**Skin contact** May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

### Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.

**Specific treatments** No special treatment required.

## SECTION 5: Firefighting measures

### Extinguishing media

**Suitable extinguishing media** The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

## Car Shampoo

<b>Personal precautions</b>	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Avoid contact with skin and eyes.
<b><u>Environmental precautions</u></b>	
<b>Environmental precautions</b>	Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
<b><u>Methods and material for containment and cleaning up</u></b>	
<b>Methods for cleaning up</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Following dilution, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
<b><u>Reference to other sections</u></b>	
<b>Reference to other sections</b>	For personal protection, see Section 8.

### SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

<b>Usage precautions</b>	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.
<b>Advice on general occupational hygiene</b>	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store in accordance with local regulations.
<b>Storage class</b>	Chemical storage.
<b><u>Specific end use(s)</u></b>	
<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.

### SECTION 8: Exposure controls and personal protection

<b><u>Control parameters</u></b>	
<b><u>Occupational exposure limits</u></b>	
<b>sodium hydroxide</b>	

## Car Shampoo

Ceiling value: 2 mg/m<sup>3</sup>

### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS: 4719-04-4)

**Ingredient comments** No exposure limits known for ingredient(s).

#### Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

##### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. The following protection should be worn: Chemical splash goggles.

##### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.

##### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

##### Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

##### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

##### Environmental exposure controls

Not regarded as dangerous for the environment.

#### SECTION 9: Physical and chemical properties

##### Information on basic physical and chemical properties

## Car Shampoo

<b>Appearance</b>	Viscous liquid.
<b>Colour</b>	Purple.
<b>Odour</b>	Pleasant, agreeable.
<b>pH</b>	pH (concentrated solution): 6.5-7.5
<b>Initial boiling point and range</b>	Not available.
<b>Flash point</b>	Not relevant.
<b>Vapour pressure</b>	Not relevant.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.003 @ 20°C
<b>Comments</b>	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

### SECTION 10: Stability and reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### SECTION 11: Toxicological information

#### Information on toxicological effects

<b>Toxicological effects</b>	Not regarded as a health hazard under current legislation.
<b><u>Acute toxicity - oral</u></b>	
<b>Notes (oral LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE inhalation (vapours mg/l)</b>	222.22
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.

## Car Shampoo

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** May cause skin sensitisation or allergic reactions in sensitive individuals.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### IARC carcinogenicity

None of the ingredients are listed or exempt.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Reproductive toxicity - development

Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### General information

No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

Prolonged inhalation of high concentrations may damage respiratory system.

### Ingestion

May cause sensitisation or allergic reactions in sensitive individuals. Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.

### Skin Contact

May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.

### Eye contact

May cause temporary eye irritation.

### Route of exposure

Ingestion Inhalation Skin and/or eye contact

### Target Organs

No specific target organs known.

### Medical considerations

Skin disorders and allergies.

### Toxicological information on ingredients.

#### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,000.0

**Species** Rat

#### Acute toxicity - dermal

## Car Shampoo

Acute toxicity dermal (LD<sub>50</sub>) 4,000.0 mg/kg)

Species Rat

### Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 0.5

### sodium hydroxide

Other health effects There is no evidence that the product can cause cancer.

### Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Route of exposure Skin absorption Ingestion Skin and/or eye contact

Target Organs No specific target organs known.

## SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### Ecological information on ingredients.

#### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not contain organically bound halogen. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days.

### sodium hydroxide

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

Toxicity Based on available data the classification criteria are not met.

### Ecological information on ingredients.

#### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

### Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 12 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hours: 9 mg/l, Daphnia magna



## Car Shampoo

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 5 mg/l, Scenedesmus subspicatus

### sodium hydroxide

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe)  
LC<sub>50</sub>, 96 hours: 125 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: > 100 mg/l, Daphnia magna  
EC<sub>50</sub>, 48 hours: 40-240 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** Not known.

#### Persistence and degradability

#### Ecological information on ingredients.

### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

**Persistence and degradability** The product is biodegradable.

**Biological oxygen demand** ~ 0.8 g O<sub>2</sub>/g substance

**Chemical oxygen demand** ~ 1.100 g O<sub>2</sub>/g substance

### sodium hydroxide

**Persistence and degradability** The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.

**Stability (hydrolysis)** Not applicable.

**Biological oxygen demand** ~ 0 g O<sub>2</sub>/g substance

#### Bioaccumulative potential

**Bioaccumulative Potential** No data available on bioaccumulation.

#### Ecological information on ingredients.

### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

**Bioaccumulative Potential** The product is not bioaccumulating.

### sodium hydroxide

**Bioaccumulative Potential** The product is not bioaccumulating.

#### Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems. The product is non-volatile.

#### Ecological information on ingredients.

### 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

**Mobility** The product is soluble in water.

### sodium hydroxide

## Car Shampoo

**Mobility** The product is soluble in water.

**Henry's law constant** The product contains mainly inorganic substances which are not biodegradable.

### Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### Waste treatment methods

#### **General information**

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

#### **Disposal methods**

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

## SECTION 14: Transport information

#### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).

#### **UN number**

Not applicable.

#### **UN proper shipping name**

Not applicable.

#### **Transport hazard class(es)**

#### **Transport labels**

No transport warning sign required.

#### **Packing group**

Not applicable.

#### **Environmental hazards**

#### **Environmentally hazardous substance/marine pollutant**

No.

#### **Special precautions for user**

Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

## Car Shampoo

<b>National regulations</b>	<p>The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).  National Code of Practice for the Preparation of Material Safety Data Sheets.  Approved Criteria for Classifying Hazardous Substances.  Exposure Standards for Atmospheric Contaminants in the Occupational Environment.  Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment.  National Code of Practice for the Labelling of Workplace Substances.  National Model Regulations for the Control of Workplace Hazardous Substances.  National Code of Practice for the Control of Workplace Hazardous Substances.  National Standard for the Storage and Handling of Workplace Dangerous Goods.  National Code of Practice for the Storage and Handling of Workplace Dangerous Goods.  Guidance Note for Placarding Stores for Dangerous Goods and Specified Hazardous Substances. Guidance Note for the Assessment of Health Risks Arising from Hazardous Substances in the Workplace.  National Standard for the Control of Major Hazard Facilities. National Code of Practice for the Control of Major Hazard Facilities.</p>
<b>Schedule (SUSMP)</b>	No Poison Schedule number allocated

### Inventories

#### Australia - AIC

All the ingredients are listed or exempt.

### SECTION 16: Any other relevant information

<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Issued by</b>	<p>Prepared by AutoYou Pty Ltd, Tao Lim, 450 Graham St, Port Melbourne VIC 3207, Australia.  www.autoyou.com.au  lim@autoyou.com.au  Tel: 1300 826 801</p> <p>23/05/2022</p>
<b>Revision date</b>	4
<b>Revision</b>	18/05/2021
<b>Supersedes date</b>	21200
<b>SDS No.</b>	Approved.
<b>SDS status</b>	H290 May be corrosive to metals.
<b>Hazard statements in full</b>	<p>H302 Harmful if swallowed.  H314 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H330 Fatal if inhaled.  H372 Causes damage to organs through prolonged or repeated exposure.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.