

1. Identification

Product Name:	AutoYou Clean Air Sanitiser & Protectant Fogger
Product Codes:	0-1603
Product Use:	Vehicle Disinfectant
Manufacturer/Supplier	AutoYou Pty Ltd
Address	450 Graham St, Port Melbourne Victoria 3207, Australia
General Information	1300 826 801 (Mon to Fri, 09:00 - 17:00 AEST)
Emergency Contact	Poison Information Hotline: 13 11 26
Information.	

2. Hazards Identification

GHS Classification:

Health	Environmental	Physical	
Classification (EC 1272/2008)			
Eye Irritant – 2A	Not Classified	Flammable Aerosol – Category 1	
		Gasses under Pressure – Compressed Gas	

GHS Label:

Signal Word : DANGER				
Hazard Statements	Precautionary Statements			
(H222) Extremely flammable aerosol (H319) Causes serious eye irritation	Precautionary Statements (P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking (P211) Do not spray on an open flame or other ignition source (P251) Pressurized container: Do not pierce or burn, even after use. (P264) Wash thoroughly after handling (P305+351+338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing. (P501) Dispose of contents and containers in accordance with local, regional, national and international regulations. Keep away from children Read Label before use. Protect from sunlight. Do not expose to temperatures exceeding 50°C.			

3. Composition / Information on Ingredients

INGREDIENT	CAS	PROPORTION
	NUMBER	
Ethanol	64-17-5	30% - 60%
Isobutane	75-28-5	10%-25%
Propane	74-98-6	10%-25%
Butane	106-97-8	10%-25%
Octadecylaminodimethyltrimethoxysilylpropylammoniumchloride	27668-52-6	0.70-0.80%



4. First Aid Measures

Ingestion: WASH MOUTN WITH WATER. **NEVER GIVE ANYTHING TO AN**

UNCONSCIOUS PERSON. IF SYMPTOMS PERSIST, GET

MEDICAL ATTENTION

Eye: IN THE EVENT OF ACCIDENTAL CONTACT, PRODUCT IS

SLIGHLY IRRITATING TO THE EYES. IRRIGATE WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, OCCASIONALLY

LIFTING EYELIDS. GET MEDICAL ATTENTION.

Skin: UNDER GENERAL INTENDED USE, NO UNTOWARD EFFECTS.

IF IRRITATION OR EXTENSIVE UNINTENTIONAL

OCCUPATIONAL EXPOSURE OCCURS, FLUSH EXPOSED AREAS WITH COPIOUS AMOUNTS OF SOAP AND WATER.

Inhaled: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING,

COMMENCE ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION.

Long Term Effects: UNKNOWN

Advice to Doctor: TREAT SYMPTOMATICALLY

First Aid Facilities: FLUSH WITH WATER IF IRRITATED

5. Fire Fighting Measures

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR FOAM

Personal Protective USE SELF-CONTAINED BREATHING APPARATUS. WEAR

Equipment: FULL PROTECTIVE CLOTHING.

Unusual Fire Fighting

Procedures :

NONE KNOWN

Hazards from EXTREMELY FLAMMABLE AEROSOL. GAS MAY EXPLODE Combustion WHEN HEATED. BURSTING AEROSOLS MAY BE PROPELLED

Products: FROM A FIRE.

Hazchem Code: 2YE.

6. Accidental Release Measures

Spills and Disposal ACTION TO BE TAKEN IF BULK MATERIAL IS RELEASED OR

SPILLED:

VENTILATE AREA, PERSON PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. IMMEDIATELY SHUT OFF ALL SOURCES OF IGNITION. IF CANS ARE RUPTURED, CARE SHOULD BE TAKEN DUE TO

RAPID EXSCAPE OF CONTENTS.

Personal Protective

Equipment: EYE PROTECTION (GOGGLES), GLOVES

7. Handling and Storage

Handling: AVOID CONTACT WITH EYES

Storage: STORE UPRIGHT IN A COOL PLACE (5°C-30°C) FOR OPTIMUM

PRODUCT LIFE.

KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT FREEZE. KEEP IGNITION SOURCES AWAY, DO NOT SMOKE. PROTECT AGAINST ELECTROSTATIC CHARGES. PROTECT

FROM HEAT



8. Exposure Controls and Personal Protection

National Exposure

ETHANOL (Safe Work Australia, 1/2014)

Standards:

TWA: 1880 MG/M³ 8 HOURS TWA: 1000 ppm 8 HOURS.

BUTANE (Safe Work Australia, 1/2014)

TWA: 1900 MG/M³ 8 HOURS TWA: 800 ppm 8 HOURS.

PROPANE (GERMANY, 12/2014) TWA: 1880 MG/M³ 8 HOURS TWA: 1000 ppm 8 HOURS.

Engineering Controls:

USE SUFFICIENT MECHANICAL (GENERAL) OR LOCAL

EXHAUST

Respiratory

IF NEEDED, USE A NIOSH APPROVED RESPIRATOR

Protection: Protective

ve GLOVES, APRON, GOGGLES

Equipment:

9. Physical and Chemical Properties

Odour Recognisable (Alcohol).

pH Not determined

Vapour Pressure 210 kPa at room temperature

Vapour Density <1 Boiling Point °C <35°C

Melting Point Not determined
Solubility SOLUBLE IN WATER

Specific Gravity Not determined
Flash Point (CLOSED CUP): -60°C

Flammable Limits in

Air (%)

LOWER 1.5 Vol %, UPPER 15 Vol %

Ignition Temperature 363°C

10. Stability and Reactivity

Chemical Stability NO DECOMPOSITION IF USED ACCORDING TO

SPECIFICATIONS

Conditions to Avoid:

HEAT, FREEZING, STRONG OXIDIZING AGENTS

Incompatible

Materials: NONE KNOWN,

Hazardous

Polymerization: WILL NOT OCCUR

Hazardous

Decomposition: CARBON MONOXIDE, CARBON DIOXIDE, SILICON DIOXIDE



11. Toxicological Information

Ingestion (acute): Ethanol LD50 > 7000MG/KG (RAT)

Skin (acute): Ethanol LD50 > 15,800 MG/KG (RABBIT)

Inhalation (acute): Ethanol LC50/4hr >20 mg/L (Mouse), 124.7mg/L (rat)

Butane LC50/4hr 658mg/L (Rat) IsoButane LC50/4hr 52mg/L (Mouse)

Chronic Effects: NO DATA AVAILABLE FOR CHRONIC OVEREXPOSURE.

FINISHED PRODUCT IS NOT EXPECTED TO HAVE CHRONIC

HEALTH EFFECTS.

Target Organs: NO ADVERSE HEALTH EFECTS ON TARGET ORGANS

EXPECTED FOR FINISHED PRODUCTS

Carcinogenicity: BASED ON AVAILABLE DATA, PRODUCT IS NOT EXPECTED

TO BE CARCINOGENIC.

NTP: NO IARC: NO OSHA: NO

12. Ecological Information

Environmental ETHANOL

Protection EC50 > 100MG/L (DAPHNIA MANGA)

LC50 > 1030MG/L (FISH)

EC50(48h) > 5414 mg/l (Daphnia Manga, OECD 202) NO FURTHER RELEVANT INFORMATION AVAILABLE.

Bioaccumulation NO FÜRTHER RELEVANT PBT: NOT APPLICABLE

vPvB: NOT APPLICABLE

13. Disposal Considerations

Disposal Methods DO NOT DISPOSE TOGETHER WITH HOUSEHOLD GARBAGE.

DISPOSAL OF THIS PRODUCT SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL PROTECTION LEGISLATION.

14. Transport Information.

UN Number:

UN Proper Shipping

Name: AE Class 2.1

Label

UN1950

AEROSOLS, FLAMMABLE (Ethanol) 2 1







Subsidiary Risk: N/A
Packing Group Hazchem Code: 2YE

Limited Quantity Dangerous Goods shipped as limited quantity. 100g Cans packed

in cartons less than 20kg meet the IMDG, IATA, ADR and ADG

criteria for Limited Quantity consignments.

ADR: UN1950 AEROSOLS. HAZCHEM CODE 2YE,

Special Provisions 63, 190, 277, 327



IMDG: UN1950 AEROSOLS, FLAMMABLE.

Emergency Schedules F-D, S-U.

Special Provisions 63, 190, 277, 327, 959, 344

IATA: UN1950 AEROSOLS, FLAMMABLE.

Passenger and Cargo Aircraft Quantity limitation: 75 kg

Packaging instructions: 203

Cargo Aircraft Only

Quantity limitation: 150 kg Packaging instructions: 203

Limited Quantities:

Passenger Aircraft Quantity limitation: 20 kg per carton.

Packaging instructions: Y203

Special provisions

A145, A167

15. Regulatory Information

Australia All components are listed on the AICS

01st June, 2020

16. Other Information

Date of This Issue

Date of Previous

Issue:

Change Made: References:

Contact Person: AUTOYOU PTY LTD

TAO LIM 1800 826 801

POISONS INFORMATION CENTRE (AUSTRALIA) 131126

LEGAL DISCLAIMER:

This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge, although no warranty is given as to the accuracy. It is not meant to be an all- inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Fresche Bioscience Pty Ltd assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product. Recipients are advised to confirm in advance of need that the information is current and suitable for their needs.

END OF SDS